

The latex-lab-testphase-new-or-2 code

Frank Mittelbach, L^AT_EX Project

v0.86d 2025-05-10

Abstract

This code implements changes to the output routine intended to be moved in the L^AT_EX kernel at some point in the future.

1 Introduction

2 The Implementation

1 `<*package>`

2.1 File declaration

2 `\ProvidesPackage{latex-lab-testphase-new-or-2}`
3 `[\ltlabneworIIdate\space v\ltlabneworIIversion\space`
4 `Changes to the output routine]`

2.2 \@makecol reimplementaion

`footnote-floats` (*plug*) If `\DocumentMetadata` is used we use `footnotes-floats` as the default. In 2e compatibility mode this should be changed to `footnotes-floats-legacy`.

5 `\AssignSocketPlug {build/column/outputbox}{footnotes-floats}`

`\@makecol@handlesplitfootnotes` This is only an early draft and doesn't do much. Contains incomplete preparation for
`\@makecol@splitfootnotemessagehook` tagging commented out.

TODO: *Interfaces and code will change in the future*

```
6 \def\@makecol@handlesplitfootnotes {%
7 % \ifx\splitfootnote@continuation\@empty \else
8 % \setbox\footins\vbox{\splitfootnote@continuation\unvbox\footins}%
9 % \global\let\splitfootnote@continuation\@empty
10 % \fi
11 \ifnum\insertpenalties>\z@
12 \@makecol@splitfootnotemessagehook
13 % \setbox\footins\vbox{\unvbox\footins --- END at split}%
14 % \gdef\splitfootnote@continuation {--- START after split}%
15 \fi
16 }
17 %\def\splitfootnote@continuation{}
```

This could issue warning if split footnotes are encountered.

```
18 \let \@makecol@splitfootnotemessagehook \@empty
    (End of definition for \@makecol@handlesplitfootnotes and \@makecol@splitfootnotemessagehook.)
```

2.3 \@outputpage reimplementation

We still have to deal with various plug setting for tagging: This needs documentation and moving.

default (*plug*)

```
19 \ExplSyntaxOn

    TODO: where should these plug declarations go? tagpdf?

20 \NewTaggingSocketPlug{build/page/header}{default}
21 {
22     \__tag_hook_kernel_before_head:
23     #2
24     \__tag_hook_kernel_after_head:
25 }

26 \AssignTaggingSocketPlug{build/page/header}{default}
```

default (*plug*)

```
27 \NewTaggingSocketPlug{build/page/footer}{default}
28 {
29     \__tag_hook_kernel_before_foot:
30     #2
31     \__tag_hook_kernel_after_foot:
32 }

33 \AssignTaggingSocketPlug{build/page/footer}{default}
```

default (*plug*)

```
34 \NewTaggingSocketPlug{build/column/outputbox}{default}
35 {
36     \__tag_check_typeout_v:n { ==>~In~\token_to_str:N \@makecol
37                             \c_space_tl\the\c@page }
38     \tag_mc_add_missing_to_stream:Nn \@outputbox {main}
39 }
```

default (*plug*)

```
40 \NewTaggingSocketPlug{build/column/footins}{default}
41 { \tag_mc_add_missing_to_stream:Nn \footins {footnote} }
```

The two sockets do nothing (default noop) if we are in lua mode. If not they get the default assigned

```

42 \sys_if_engine luatex:F
43 {
44   \AssignTaggingSocketPlug{build/column/outputbox}{default}
45   \AssignTaggingSocketPlug{build/column/footins}{default}
46 }
47 \ExplSyntaxOff

```

3 Replacement for the footmisc package

The replacement for footmisc. If the new code is used, we must replace the package if it is loaded by the user:

```

48 \declare@file@substitution{footmisc.sty}{latex-lab-footmisc.ltx}

```

This can be removed the moment the remaining hooks and sockets have been integrated into footmisc, which will probably not happen before the 2025/11 release.

4 Temp stuff that is related but should go to the kernel

This is the code from latex-lab-footnotes.dtx.

```

49 \input{latex-lab-footnotes.ltx}
50 \</package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A		footnotes-floats-legacy (plug)	<i>1</i>
\AssignSocketPlug	<i>5</i>		
\AssignTaggingSocketPlug . .	<i>26, 33, 44, 45</i>	G	
D		\gdef	<i>14</i>
\def	<i>6, 17</i>	\global	<i>9</i>
default (plug)	<i>2, 19, 27, 34, 40</i>	I	
\DocumentMetadata	<i>1</i>	\ifnum	<i>11</i>
E		\ifx	<i>7</i>
\else	<i>7</i>	\input	<i>49</i>
\ExplSyntaxOff	<i>47</i>	\insertpenalties	<i>11</i>
\ExplSyntaxOn	<i>19</i>	L	
F		\let	<i>9, 18</i>
\fi	<i>10, 15</i>	\ltxlabneworIIDate	<i>3</i>
\footins	<i>8, 13, 41</i>	\ltxlabneworIIversion	<i>3</i>
footnote-floats (plug)	<i>5</i>	N	
footnotes-floats (plug)	<i>1</i>	\NewTaggingSocketPlug	<i>20, 27, 34, 40</i>
		noop (plug)	<i>2</i>

P		TeX and L ^A T _E X 2 _ε commands:	
Plugs:		<code>\@empty</code>	7, 9, 18
<code>default</code>	2, 19, 27, 34, 40	<code>\@makecol</code>	1, 36
<code>footnote-floats</code>	5	<code>\@makecol@handlesplitfootnotes</code>	6
<code>footnotes-floats</code>	1	<code>\@makecol@splitfootnotemessagehook</code>	6
<code>footnotes-floats-legacy</code>	1	6
<code>noop</code>	2	<code>\@outputbox</code>	38
<code>\ProvidesPackage</code>	2	<code>\@outputpage</code>	2
S		<code>\c@page</code>	37
<code>\setbox</code>	8, 13	<code>\declare@file@substitution</code>	48
<code>\space</code>	3	<code>\splitfootnote@continuation</code>	7, 8, 9, 14, 17
sys commands:		<code>\z@</code>	11
<code>\sys_if_engine_luatex:TF</code>	42	<code>\the</code>	37
T		tl commands:	
tag commands:		<code>\c_space_tl</code>	37
<code>\tag_mc_add_missing_to_stream:Nn</code>	38, 41	token commands:	
.....		<code>\token_to_str:N</code>	36
tag internal commands:		U	
<code>__tag_check_typeout_v:n</code>	36	<code>\unvbox</code>	8, 13
<code>__tag_hook_kernel_after_foot:</code>	31	V	
<code>__tag_hook_kernel_after_head:</code>	24	<code>\vbox</code>	8, 13
<code>__tag_hook_kernel_before_foot:</code>	29		
<code>__tag_hook_kernel_before_head:</code>	22		